


USAADACENFB Installation Safety Office




Suicide

Lessons - Learned Fatality Review Board

16 October 2002




Most Common Indicators



- PREVIOUS ATTEMPTS
- MENTAL DISORDER
- ALCOHOL/SUBSTANCE ABUSE
- ISOLATION/DEPRESSION
- STATEMENTS/EXPRESSIONS OF GUILT FEELINGS
- PHYSICAL ILLNESS



Indicators (This Incident)




- Serious Financial Problems
- Possible Family Problems
- Serious Legal Problems (Sex Assault)
- Serious Alcohol Problems (ASAP)
- Pride, self esteem, ego
- Exhibited positive outward appearance (self denial)

STRESS/ANIXETY SYMPTOMS MAY VARY




Myths About Suicide



Suicide attempts do not go up during holiday periods




Suicide Facts



- April has the highest suicide rate
- Suicide is the eighthleading cause of deaths -third for teenagers
- Symptoms may vary
- □ Males have the highest rate




Leaders' Actions



- Know your soldiers
- Provide professional suicide awareness training
- Be sensitive to unusual behavior
- Be alert for stress build up for soldiers experiencing family, financial, and legal problems
- Do not expect every individual to exhibit the same behavior





NEVER IGNORE A SUICIDE THREAT OR ATTEMPT